


ELECTROSURGICAL ELECTRODES

Single Use and Reusable Electrodes and Extensions

The convenience of disposables or the value of reusables



EDGE™ COATED ELECTRODES

provide uncompromised cut performance throughout a variety of procedures, no matter what type of tissue. EDGE™ coated blade and coated needle electrodes provide cut performance like stainless steel—but with a clean advantage. No scraping required. Durable and bendable without compromising the integrity of the coating.

STAINLESS STEEL ELECTRODES

are constructed of high-quality stainless steel and are available in ball, blade, needle, extended needle, and extended blade configurations.

REUSABLE ELECTRODES

are manufactured of high quality surgical grade materials in ball, blade, needle, angled ball, tungsten loop, and conization styles.

REUSABLE ELECTRODE EXTENSIONS

provide improved access to deep cavities and other hard-to-reach surgical sites. Can be used with ball, blade, and needle electrodes in handswitching and footswitching Valleylab pencils. Available in 13 cm or 34 cm lengths.



















SAFETY AND COMPATIBILITY

are critical for user satisfaction, so all Valleylab electrodes and extensions have protective insulating sleeves to guard against accidental tissue contact, plus standard 0.24 cm (3/32 inch) shaft diameters to fit most electro-surgical pencils.

EDGE™ Coated Electrodes - Single Use






High performance cutting and coagulation with easy cleaning

Standard 0.24 cm (3/32 inch) diameter shaft.

Catalog Number	Description	Function
E1450G 	7.62 cm (3.0 in.) coated blade electrode for use with all nonhex-locking pencils	Cutting and coagulation
E1450X 	6.35 cm (2.5 in.) coated blade electrode for use with all Valleylab hex-locking pencils	Cutting and coagulation
E1450-4 	10.16 cm (4 in.) extended coated blade electrode for use with all Valleylab pencils	Cutting and coagulation
E1450-6 	16.51 cm (6.5 in.) extended coated blade electrode for use with all Valleylab pencils	Cutting and coagulation in deep surgical sites
E1452 	7.21 cm (2.84 in.) coated needle electrode for use with all Valleylab pencils	Precise, pinpoint cutting and coagulation
E1452-4 	10.16 cm (4 in.) extended coated needle electrode for use with all Valleylab pencils	Precise, pinpoint cutting and coagulation
E1452-6 	16.51 cm (6.5 in.) extended coated needle electrode for use with all Valleylab pencils	Precise, pinpoint cutting and coagulation in deep surgical sites
E1455 	6.99 cm (2.75 in.) PTFE insulated coated blade electrode for use with all Valleylab pencils	Cutting and coagulation in restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1455B 	6.99 cm (2.75 in.) PTFE insulated coated blade electrode with Safety Sleeve™ for use with all Valleylab handswitching pencils*	Cutting and coagulation in unrestricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1455-4 	10.16 cm (4 in.) extended PTFE insulated coated blade electrode for use with all Valleylab pencils	Cutting and coagulation in deep, restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1455B-4 	10.16 cm (4 in.) extended PTFE insulated coated blade electrode with Safety Sleeve™ for use with all Valleylab handswitching pencils*	Cutting and coagulation in deep, restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1455-6 	16.51 cm (6.5 in.) extended PTFE insulated coated blade electrode for use with all Valleylab pencils	Cutting and coagulation in deep, restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1465 	7.21 cm (2.84 in.) PTFE insulated coated needle electrode for use with all Valleylab pencils	Precise, pinpoint cutting and coagulation in restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1465B 	7.21 cm (2.84 in.) PTFE insulated coated needle electrode with Safety Sleeve™ for use with all Valleylab handswitching pencils*	Precise, pinpoint cutting and coagulation in restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1465-4 	10.16 cm (4 in.) extended PTFE insulated coated needle electrode for use with all Valleylab pencils	Precise, pinpoint cutting and coagulation in restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1465B-4 	10.16 cm (4 in.) extended PTFE insulated coated needle electrode with Safety Sleeve™ for use with all Valleylab handswitching pencils*	Precise, pinpoint cutting and coagulation in restricted surgical sites. Insulated to prevent contact with adjacent tissue.
E1465-6 	16.51 cm (6.5 in.) extended PTFE insulated coated needle electrode for use with all Valleylab pencils	Precise, pinpoint cutting and coagulation in restricted, deep surgical sites. Insulated to prevent contact with adjacent tissue.
E1475X 	6.99 cm (2.75 in.) coated blade electrode for use with all Valleylab hex-locking pencils.	Cutting and coagulation for use with the ACCUVAC™ Smoke Evacuator Attachment











POINT™ Microsurgical Needle

Improved cutting and coagulation performance while minimizing thermal spread

Catalog Number	Description	Function
E1650 	2 cm straight microsurgical tungsten needle	Precise, pinpoint cutting and coagulation
E1651 	3 cm straight microsurgical tungsten needle	Precise, pinpoint cutting and coagulation
E1652 	3 cm microsurgical tungsten needle, 45 degree angle, 3 mm from tip	Precise, pinpoint cutting and coagulation
E1653 	3 cm microsurgical tungsten needle, 45 degree angle, 1 cm from tip	Precise, pinpoint cutting and coagulation
E1654B 	9 cm (3.5 in.) straight microsurgical tungsten needle with Safety Sleeve™ <i>for use only with Valleylab handswitching electrocautery pencils</i>	Precise, pinpoint cutting and coagulation in deep surgical sites







Reusable Electrodes and Extensions

Standard 2.4 mm (3/32 inch) diameter shaft. Sterilization: Ethylene oxide gas (EtO) or steam autoclave.

Catalog Number	Description	Function
E1000 	Ball electrode, 3.2 mm (1/8 in.) diameter	Fulguration or desiccation of small tissue areas
E1001 	Straight polished blade electrode, 2.5 cm (1 in.)	Cutting and coagulation
E1002 	Ball electrode, 5.6 mm (7/32 in.) diameter	Fulguration or desiccation of large tissue areas
E1003 	Fine needle electrode, 2.5 cm (1 in.)	Precise, pinpoint cutting and coagulation
E1004 	Angled ball electrode, 2.4 mm (3/32 in.) diameter	Fulguration or desiccation of small tissue areas
E1005 	Tungsten wire loop electrode, 9.5 mm (3/8 in.)	Sectioning of tissue for simple removal or to obtain tissue samples
E1011 	Conization electrode, 6.4 mm (1/4 in.)	Enlarging the cervical aperture and other tissue removal
E1020 	Hex-locking blade electrode, 2.5 cm (1 in.)	Cutting and coagulation
E1502 	Straight electrode extension, 13 cm (5.1 in.)	Medium length extension for use in deep surgical sites
E1504 	Straight electrode extension, 34.3 cm (13.5 in.)	Long extension for use in deep surgical sites

Stainless Steel Electrodes - Single Use

Standard 0.24 cm (3/32 inch) diameter shaft.

Catalog Number	Description	Function
E1550 	Ball electrode, 5 mm (3/16 in.)	Fulguration or desiccation
E1551G 	Blade electrode, 6.2 cm (2.44 in.) (for use with nonhex-locking pencils)	Cutting and coagulation
E1551X 	Blade electrode, 6.2 cm (2.44 in.) (for use with hex-locking pencils)	Cutting and coagulation
E1551-6 	Extension blade electrode, 16.51 cm (6.5 in.)	Cutting and coagulation in deep surgical sites
E1552 	Needle electrode, 7.2 cm (2.84 in.)	Precise, pinpoint cutting and coagulation
E1552-6 	Extension needle electrode, 16.51 cm (6.5 in.)	Precise, pinpoint cutting and coagulation in deep surgical sites

Order Information

CATALOG NUMBER	ORDER QUANTITY	CATALOG NUMBER	ORDER QUANTITY	CATALOG NUMBER	ORDER QUANTITY
EDGE™ Coated Electrodes - Single Use		Point™ Microsurgical Needles		Stainless Steel Electrodes - Single Use	
E1450G	50/case	E1650	10/case	E1550	150/case
E1450X	50/case	E1651	10/case	E1551G	150/case
E1450-4	50/case	E1652	10/case	E1551X	150/case
E1450-6	50/case	E1653	10/case	E1551-6	50/case
E1452	50/case	E1654B	10/case	E1552	150/case
E1452-4	50/case	Reusable Electrodes and Extensions		E1552-6	50/case
E1452-6	50/case	E1000	1 each		
E1455	50/case	E1001	1 each		
E1455B	25/case	E1002	1 each		
E1455-4	50/case	E1003	1 each		
E1455B-4	25/case	E1004	1 each		
E1455-6	50/case	E1005	1 each		
E1465	50/case	E1011	1 each		
E1465B	25/case	E1020	1 each		
E1465-4	50/case	E1502	1 each		
E1465B-4	25/case	E1504	1 each		
E1465-6	50/case				
E1475X	50/case				

Valleylab
a division of Tyco Healthcare Group LP
5920 Longbow Drive
Boulder, CO 80301-3299 USA
800 255 8522

tyco / Healthcare / **Valleylab**